



Results Detail

Company Information

Company Name: CAM2 INTERNATIONAL, LLC

Corporate Address: 3412 PEMBERTON SQUARE BLVD STE 2-317
VICKSBURG, MS, 39180-5541, United States

License Status: Active

License Number: 0283

Original License Issue Date: 22-Aug-1993

License Effective Date: 31-Mar-2015

License Expiration Date: 31-Mar-2016



Products

BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION	ILSAC DESIGNATION
CAM2 Blue Blood Elite	0W-40	SN		
CAM2 Blue Blood Elite Full Synthetic	0W-20	SN	Resource Conserving	GF-5
CAM2 Blue Blood Elite Full Synthetic	5W-20	SN	Resource Conserving	GF-5
CAM2 Blue Blood Elite Full Synthetic	5W-30	SN	Resource Conserving	GF-5
CAM2 Blue Blood Elite Full Synthetic	10W-30	SN	Resource Conserving	GF-5
CAM2 dexos1 Full Synthetic	0W-20	SN	Resource Conserving	GF-5
CAM2 dexos1 Synthetic Blend	5W-30	SN	Resource Conserving	GF-5
CAM2 dexos1 Synthetic Blend	5W-20	SN	Resource Conserving	GF-5
CAM2 SUPER HD	30	SL		
CAM2 SUPER HD	40	SL		
CAM2 SUPER HD	50	SL		
CAM2 SUPER HD	10W	SL		
CAM2 SUPER HD	15W-40	SL/CI-4		
CAM2 SUPER HD PREMIUMPLUS	15W-40	CI-4, CH-4/SL	CI-4 PLUS	
CAM2 Super HD Premium Plus	10W-30	CJ-4/SN	CI-4 PLUS	
CAM2 SUPER HD PREMIUMPLUS (07)	15W-40	CJ-4, CI-4/SM	CI-4 PLUS	
CAM2 Super HD Synthetic Blend	10W-30	CJ-4/SN	CI-4 PLUS	
CAM2 SUPER PRO MAX	30	SN		
CAM2 SUPER PRO MAX SYNTHETIC BLEND	10W-40	SN		
CAM2 SUPER PRO MAX SYNTHETIC BLEND	20W-50	SN		
CAM2 SUPER XHD PREMIUMPLUS	15W-40	CJ-4, CI-4, CH-4/SL	CI-4 PLUS	
CAM2 Super XHD Premium Plus	10W-30	CJ-4/SN	CI-4 PLUS	
CAM2 Super XHD Premium Plus Synthetic Blend	15W-40	CJ-4/SN	CI-4 PLUS	
CAM2 SUPERHD PREMIUMPLUS (07)	15W-40	CJ-4/SN	CI-4 PLUS	
CAM2 SUPERPRO PLUS SYNTHETIC BLEND	10W-30	SM	Energy Conserving	
CAM2 SUPERPRO MAX	40	SN		
CAM2 SUPERPRO MAX SYNTHETIC BLEND	5W-20	SN	Resource Conserving	GF-5
CAM2 SUPERPRO MAX SYNTHETIC BLEND	5W-30	SN	Resource Conserving	GF-5
CAM2 SUPERPRO MAX SYNTHETIC BLEND	10W-30	SN	Resource Conserving	GF-5

CAM2 SUPERPRO PLUS	10W-40	SM		
CAM2 SUPERPRO PLUS	10W-30	SM	Energy Conserving	
CAM2 SUPERPRO PLUS SYNTHETIC BLEND	10W-40	SM		
CAM2 SUPERPRO PLUS SYNTHETIC BLEND	5W-20	SM	Energy Conserving	
CAM2 SUPERPRO PLUS SYNTHETIC BLEND	5W-30	SM	Energy Conserving	
CAM2 SYNAVEX	5W-40	SM		
CAM2 SYNAVEX	0W-20	SN	Resource Conserving	GF-5
CAM2 SYNAVEX	0W-30	SN	Resource Conserving	GF-5
CAM2 SYNAVEX	5W-20	SN	Resource Conserving	GF-5
CAM2 SYNAVEX	5W-30	SN	Resource Conserving	GF-5
CAM2 SYNAVEX	10W-30	SN	Resource Conserving	GF-5
CAM2 SYNAVEX	0W-40	SN		
CAM2 SYNAVEX	5W-40	SN		
CAM2 SYNAVEX ULTRA HD	5W-40	CJ-4/SM		
DEXOS 1 FULL SYNTHETIC	5W-20	SN	Resource Conserving	GF-5
DEXOS 1 FULL SYNTHETIC	5W-30	SN	Resource Conserving	GF-5
Dexos 1	5W-20	SN	Resource Conserving	GF-5
Dexos 1	5W-30	SN	Resource Conserving	GF-5
EARTH DRIVEN	5W-30	SN	Resource Conserving	GF-5
EARTH DRIVEN	5W-20	SN	Resource Conserving	GF-5
EARTH DRIVEN	10W-30	SN	Resource Conserving	GF-5
EARTH DRIVEN	15W-40	CJ-4, CI-4/SM	CI-4 PLUS	
Earth Driven HD	15W-40	CJ-4/SN	CI-4 PLUS	
Mega Power Centaurus Advanced Synthetic Blend	5W-20	SN	Resource Conserving	GF-5
Mega Power Centaurus Advanced Synthetic Blend	5W-30	SN	Resource Conserving	GF-5
Mega Power Centaurus Advanced Synthetic Blend	10W-30	SN	Resource Conserving	GF-5
Mega Power Centaurus Advanced Synthetic Blend	10W-40	SN		
Mega Power Centaurus Advanced Synthetic Blend	20W-50	SN		
Mega Power Centaurus Advanced Synthetic Blend	30	SN		
Mega Power Centaurus Advanced Synthetic Blend	40	SN		
Mega Power Lynx HD Advanced Synthetic Blend	15W-40	CJ-4/SN	CI-4 PLUS	
Mega Power Lynx HD Advanced Synthetic Blend	10W-30	CJ-4/SN	CI-4 PLUS	
Mega Power Vela Synthetic	5W-20	SN	Resource Conserving	GF-5
Mega Power Vela Synthetic	5W-30	SN	Resource Conserving	GF-5
Mega Power Vela Synthetic	10W-30	SN	Resource Conserving	GF-5
Mega Power Vela Synthetic	0W-20	SN	Resource Conserving	GF-5
Mega Power Vela Synthetic	0W-30	SN	Resource Conserving	GF-5
PROTECT 75 HIGH MILEAGE SYNTHETIC BLEND	5W-20	SN	Resource Conserving	GF-5
PROTECT 75 HIGH MILEAGE SYNTHETIC BLEND	10W-30	SN	Resource Conserving	GF-5
PROTECT 75 HIGH MILEAGE SYNTHETIC BLEND	5W-30	SN	Resource Conserving	GF-5

